

Healthy

Healthy business innovation

General catalog 2021

business



innovation

Hello, healthy future

At Zumex we believe in a healthier world. In order to improve **people's nutritional well-being** we have **35 years' experience** in designing and manufacturing juicing solutions



Your strategic partner in developing your juice business



+ 30 years

+ 100 countries

3 lines of business

Foodservice & Retail
Automatic citrus juicers and commercial juicers for the catering, hotel and retail industries.

Vending
Vending solutions for freshly squeezed juice anywhere.

Food Engineering
Customized engineering projects to supply industrial-scale fruit and vegetable juicing solutions.

6 subsidiaries

Spain
Headquarters
France
Deutschland
United Kingdom
North America
México

Zumex is good for you




Zumex Service provides **the best warranty and technical assistance with worldwide coverage.**

We invest heavily in the design and innovation of our solutions so we can deliver the best freshly squeezed juice.



Our track record has made us world leaders in automatic juicers for food service and retail.




**1
Design**

**2
Innovation**


**3
Technology**

ASP®



Antibacterial
nanotechnology

Food hygiene certified. Our exclusive silver ion-based antibacterial technology **inhibits the growth** of bacteria, ensuring long-lasting, extra-efficient protection.



Rotating system



Accurate, clean cut



Optimal performance

The heart of our juicers has become the core of **our success** and that of our customers.

Our system **provides optimal juice output and premium quality juice**, ensuring no juice comes into contact with the peel thus preventing the essential oils and acid it contains from contaminating it.

Original System®

Experts in citrus, pomegranates and multifruit juices

At Zumex we have a wide range of juicing kits that allow you to be versatile in your business and offer the best juice instantly.

CITRUS



Juice all your citrus fruit with our extraction kits.



S 1Step Kit 45-67 mm
Limes | Lemons | Oranges

M 1Step Kit 65-81 mm
Lemons | Oranges | Grapefruit

L 1Step Kit 75-95 mm
Lemons | Oranges | Grapefruit

CITRUS



Conical System®



* See technical specifications



Squeeze all citrus with our squeezing kits.

S Kit 45-65 mm
Lemons* | Limes | Tangerines

M Kit 64-81 mm
Lemons* | Oranges

XS Kit 42-52 mm
Limes

POMEGRANATES




Pomegranates S Kit 65-85 mm
Pomegranates

Pomegranates M Kit 75-95 mm
Pomegranates

MULTIFRUIT

TITANIUM
powered by ZUMEX®



Juices all fruit and vegetables.

Titanium shredding disc
Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)

Zumex design

Premium design inside and out for maximum efficiency and functionality, so the juicing process flows smoothly from start to finish, from fruit to juice.

Eye-catching lines

Avant-garde lines and finishes, and robust, premium quality materials.




Tritan BPA/BPS free



Materials from another world. Our covers are made out of tritan. This safe, resistant, lightweight material is perfect for food contact requirements and provides transparency in the juicing process.



Our juicers hold the most stringent international certificates for hygienic performance and ease of cleaning, helping you to obtain the HACCP certificate.



Sure of ourselves. We lead the industry and are confident that our products are reliable. That's why we offer an extended five-year warranty.

Zumex Smart Juicing Technology

The power of data now in
your commercial juicer.




Using the Smart Juicing
technology incorporated
in our new generation of
commercial juicers, you will be
able to remotely manage your
juice business.

- Remote asset control
- Real-time information
- Operational processes improvement and productivity increase
- Management of key performance indicators
- Monitoring of machine operation for preventive maintenance



Digital transformation
reaches the
world of juice



Smart juicers.



COUNTERTOP SMART JUICERS

ALL-IN-ONE SMART JUICERS



Soul Series 2

Smart Essential Pro

Smart New Versatile Pro

Smart Speed S *plus

Smart Speed Up



Smart New Versatile Pro All-in-One

Smart Speed S *plus All-in-One

Smart Speed Up All-in-One

Smart Juicing technology marks a leap forward in the juicing world.

We digitized all machine parameters in order to maximize the return on your investment.



Sales Tracking



Absolute Control



Maximum Productivity



Real-time information



100% Connected



Anytime




Anywhere



Geolocation

SQUEEZED FRUITS BY DAY



2.600

Average squeezed fruits per machine

The winner is... natural, healthy juice

Freshly squeezed juice has established itself as a new category, making it easier for everyone to enjoy fruit in a **simple, healthy and fun way**.



Easy and transparent


From fruit to juice
in an instant

Zumex's juicing
process preserves all
the flavor and
nutritional properties
of fruit, naturally.

The "Five-a-day Association"
recommends drinking **a glass of juice
every day** (150-200 ml) together with
another **four servings** of a variety of fruit
and vegetables.



Evolution of juice category



*European Fruit Juice Association (AIJN) Report.


The concept of
healthy eating is a
constant for people
and businesses
today.



A 100 ml glass of
juice provides the
recommended daily
intake of vitamin C for
children aged 4 to 13.

Premium professional juicing solutions

Countertop models



MULTIFRUITS

CITRUS

Multifruit

Soul Series 2 ^N

Minex

Essential Pro
Smart Essential Pro

New Versatile Pro ^N
Smart New Versatile Pro ^N

Speed Pro Basic

Speed Up
Smart Speed Up ^N

Speed S ^{+plus}
Smart Speed S ^{+plus} ^N

All-in-One models



POMEGRANATES

CITRUS

Speed
Pomegranates

New Versatile Pro ^N
All-in-One
Smart New
Versatile Pro All-in-One ^N

Speed Up All-in-One
Smart Speed Up All-in-One ^N

Speed S ^{+plus} All-in-One
Smart Speed S ^{+plus} All-in-One ^N

Speed S ^{+plus} Tank
All-in-One




Juicing solutions for supermarkets, convenience stores, bakeries, hotels, juice bars, cafés, restaurants and a whole range of other businesses looking to add freshly squeezed juice to the options they offer.

MULTIFRUIT


Power to the healthy!

Zumex's iconic commercial juicer is perfectly equipped to work hard and deliver **outstanding performance** in juicing all fruit and vegetables from apples, kiwis and pineapples to carrots, cucumber, celery and ginger.

- ① **EXCELLENT PERFORMANCE**
- ② **24-HOUR, NON-STOP SERVICE**
- ③ **HEAVY-DUTY**
- ④ **FAST AND SILENT**
- ⑤ **NEVER-ENDING AUTONOMY WITH THE NEW COUNTERTOP KIT**



Multifruit is available in **five colors**



More hygienic tap with an improved grip and optimal flow.

The **brushless motor** is more powerful and can be used four times longer than a conventional motor. No friction. No heat release.

The **Speed Control System** maintains a constant speed, delivering extra power when needed.

Lowest energy consumption in its class.

Safety system. The machine stops the disc from turning if the juicer is opened.

Big personality, stylish finishes

Functional pusher
Broad 75 mm opening

TITANIUM
powered by ZUMEX®

Titanium shredding disc
Maximum shredding power and sharper cutting for longer for all fruit and vegetables

Easy Grip tap
with non-slip finish

Two speeds


The speed can be regulated according to the different fruit and vegetables.

SOFT FRUIT
3,500 rpm


HARD FRUIT
4,500 rpm




Efficient **centrifuging** and filtering


Silent block system prevents vibration


Rotating **non-drip tap**


High-capacity built-in waste bucket (13 litres)

Removable drip tray
Improved drip tray design

Technical specs

Fruit	Fruit and vegetables	Power	870 W 1.17 HP
Speed	3,500 rpm 4,500 rpm	Energy consumption	1.8 A
Fruit diameter	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	Protection against moisture	IPX1
Dimensions Width Depth Height	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	Safety	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay
Net weight	15 kg 33 lb	Sound pressure level	Below 70 dB
Voltage	220-240 V 50-60 Hz 115 V 60 Hz		



See accessories on page 41

NEW
SOUL
SERIES 2



The first smart juicer.

The most compact commercial juicer on the market. It offers the **maximum innovation** in the smallest area and with the most authentic **style**.

- ① **ULTRA COMPACT**, MAXIMUM PERFORMANCE AND AUTONOMY
- ② **PROVIDES REAL-TIME PRODUCTIVITY AND PERFORMANCE DATA**
- ③ **CONICAL SYSTEM®** PRECISE CUTTING, MAXIMUM JUICE AND TASTE
- ④ **A 8 OZ JUICE IN 10"**



Small. Smart. Stylish



Beyond juice

Cocktails, mocktails, desserts, patisserie, dressings, sauces...

Maximum delicacy to obtain the highest performance from each citrus fruit.

Integrated waste container for easy disassembly and cleaning with a capacity of 7 L / 12-14 citrus fruits.

With Countertop Kit accessory for greater autonomy.

Soul Limes Special Edition for lime specialists.



Conical System®




Antibacterial technology




Type of demand MEDIUM

Discover the combinations of Soul Series 2



Special Edition



Juicing kits for all citrus fruits. Squeezes from 42 to 81 mm.

Push&Juice, with intuitive color-coded warning button.

PulpOut System, automatic filter-sweeper to remove excess pulp and seeds.

1Step Case Out, clean and convenient juicing unit collection.

Technical specs



See **accessories** on page 49

*It is recommended to squeeze rounded and thin-skinned lemon varieties. Examples: Eureka, Lisbon, Meyer.

Fruit	Oranges, tangerines, limes, lemons*	Voltage	100-240 VAC 50-60 Hz
Pieces of fruit per minute	M/S KIT: 18 fruits /min XS KIT: 36 fruits / min	Power	100 W 0.134 HP
Speed	1 juice in 10"	Energy consumption	0.4-3.4 A (100-130 VAC) 0.3-1.5 A (220-240 VAC)
Capacity	3-6 oranges 7-8 limes	Protection against moisture	IPX0
Fruit diameter	M KIT: 64 – 81 mm S KIT: 45 – 65 mm XS KIT: 42 – 52 mm	Sound pressure level	Less than 60 dB
Dimensions Width Depth Height	300 x 480 x 537 mm 11.8" x 18.9" x 21.1"	Safety	Micro switch on front opening and motor seizure sensor
Net weight	32 kg 71 lb	Connectivity	Wi-Fi

Minex

Zumex's eye-catching, mix-and-match juicer

With its **bold, cosmopolitan** design, Minex adds extra colour, zest and style to any bar or café.


- ① **SMALLER FOOTPRINT**
- ② **BIG ON STYLE**
- ③ **NON-DRIP TAP**
- ④ **EASY TO DISASSEMBLE AND CLEAN**
- ⑤ **PUSH BUTTON SYSTEM, FRESHLY SQUEEZED JUICE IN 15 SECONDS**



Chameleon Style. Match your juicer to your premises with a selection of 12 different colors



Digital display and orange counter


Compact and efficient


Original System®


ASP
Antibacterial technology


Type of demand
MODERATE

Jug capacity:
25.3 fl oz

Twelve colors to match the style of your business



Minex Colour Kits are also available as accessories

Clean, efficient and compact juicing system with **ASP® antibacterial** technology.

Two ways to serve juice with **self-service tap** or **built-in jug**.

Built-in waste bucket

Technical specs

Pieces of fruit per minute	13 pieces of fruit per minute	Power	44 W 0.06 HP
Capacity	6 - 7 pieces of fruit	Energy consumption	0.2 A / 0.45 A
Fruit diameter	65 - 78 mm	Protection against moisture	IPX0
Dimensions Width Depth Height	383 x 368 x 712 mm 15.1" x 14.5" x 28"	Safety	Three safety devices and motor seizure sensor
Net weight	19.5 kg 43 lb	Jug capacity	750 ml (25.3 FL OZ)
Voltage	Multivoltage 220-240 V 50-60 Hz 100-115 V 50-60 Hz		

Essential Pro

The simplicity you need

Ideal for **all types of cafés** or premises where **simplicity** is essentially what matters most.

- ① PRACTICAL SIMPLICITY
- ② TOUCH CONTROL DIGITAL DISPLAY
- ③ 27 ORANGES PER MINUTE
- ④ EASY TO DISASSEMBLE AND CLEAN



Original System®

ASP

Antibacterial technology



Type of demand MEDIUM

Essential Pro is available in **four colors**



Orange Silver Graphite Black

Quick and easy juicing. Manual feeder with capacity for 4-5 pieces of citrus fruit.

Two operating modes

Self-service: the juice is served directly into the glass or jug.


Professional: the juicer starts up automatically when the citrus fruit is placed into the feeder.

Kit S for smaller citrus fruit, such as limes and lemons (45-67 mm).

User-friendly design



Feed and juice



Quality and food hygiene guaranteed



Display digital and orange counter

The **self-service** mode comes with a **non-drip tap** which also has a **special position** for automatic dispensing

Built-in waste buckets
See countertop kit accessory for continuous waste removal

Technical specs



See accessories on page 41

Pieces of fruit per minute	27 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Capacity	4 - 5 pieces of fruit	Power	300 W 0.40 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	Protection against moisture	IPX4
Net weight	45.5 kg 100 lb	Safety	Two safety devices and motor seizure sensor

NEW

PULP OUTSYSTEM

Versatile Pro

Full autonomy

The new Versatile Pro with **PulpOut System** is perfect for those businesses where **performance and speed** go hand in hand. This is the commercial juicer for cafes, supermarkets, self-service shops and hotels.



- ① THE FIRST GENERATION OF COMMERCIAL JUICERS WITH **SMART JUICING TECHNOLOGY**
- ② AUTOMATIC FILTERING FOR **GREATER AUTONOMY**. 150 KG NON-STOP PRODUCTION
- ③ **ULTRAFAST**. 250ML OF JUICE IN 10"
- ④ EASY TO DISASSEMBLE AND CLEAN
- ⑤ **A 8 FL. OZ JUICE IN 10"**



Original System®



Antibacterial technology



Type of demand HIGH

New Versatile Pro is available in **four colors**



Orange

Silver

Graphite

Black

New PulpOut System. Four-phased automatic filtering process to obtain juice of the best quality and consistency.

60 L service with no cleaning needed. Easy to disassemble and dishwasher safe.

Self-service mode: the juice is served directly into the glass or jug by pressing the tap.

Tap comes with **Easy Press** front push button.

Bottle holder with 3 interchangeable couplers for a clean and direct filling.

Perfect for the Retail and Convenience sectors

35 lb of extra feeder capacity. With door to make the loading operation and safety closure easier.

Cubetas de residuos integradas. Ver accesorios para desalojo continuo en contrabarra.



M 1Step Kit
For medium-sized citrus fruit (65-81 mm).

Accessory S 1Step Kit
For smaller citrus fruit, such as limes and lemons (45-67 mm).

PulpOut System
Automatic conveyor belt for pulp and seed removal, with maximum performance.

Bottle holder
Cleaner, easier and quicker to fill.

Lightweight, hardwearing, wheeled podium. Built-in trolley holds up to 52 L of waste.

Smallest footprint on the market - 2.7 sq. feet.



Change the juicing system in just one simple step



Bottle holder



Quality and food hygiene guaranteed

Technical specs



See **accessories** on page 49

Pieces of fruit per minute	27 pieces of fruit per minute
Feeder capacity	16 kg 35 lbs
Fruit diameter	65 - 81 mm
Dimensions Width Depth Height	For individual model sizes, see page 59
Net weight	For individual model weights, see page 59

Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Power	380 W 0.51 HP 320 W 0.43 HP
Energy consumption	1.7 A / 2.7 A
Protection against moisture	IPX4
Safety	Two safety devices and motor seizure sensor

Speed Up

The freshest results with the coolest style

Ready to transform each juice corner into a truly **Fresh Place**. Speed Up brings a freshly squeezed juice service to your establishment with maximum performance.

- ① HIGH-CAPACITY FEEDER (20 KG)
- ② 40 PIECES OF FRUIT PER MINUTE
- ③ GROUNDBREAKING DESIGN



Original System®



Antibacterial technology



Type of demand
VERY HIGH

Speed Up is available in **two colors**



Mirror



Black

Two operating modes

Automatic (Self-service): serves juice directly when the tap is pressed.

Professional: the operator can set the exact number of pieces of fruit to be juiced.

Up tap: easy-clean tap with bottle holder available in 3 sizes.

PulpOut system: triple filtering with automatic conveyor belt to remove the pulp and optimize performance.

Two models with superb autonomy



The quietest juicer of all



Quality and food hygiene guaranteed

High-capacity basket (44 lb)

Optional safety cover available

Intelligent Touch digital display



Speed Up



Speed Up All-in-One

M Kit
65 - 81 mm

S Kit
45 - 67 mm

L Kit
75 - 95 mm

Up tap with bottle holder
33.4 mm
36 mm
38 mm

Drip tray with direct drain to the waste buckets

Resistant, lightweight podium with a capacity of up to 100 litres, available in two finishes and two widths

See page 35 for more information

Technical specs



See accessories on page 41

Pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	20 kg 44 lb
Fruit diameter	65 - 81 mm
Dimensions Width Depth Height	For individual model sizes, see page 49
Net weight	For individual model weights, see page 49

Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Energy consumption	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX4
Safety	Two safety devices and motor seizure sensor

Speed S⁺plus

The fastest, most robust juicer

The Speed S⁺plus solves the highest juice demands quickly and easily.

- ① **1STEP KIT:** THE JUICE EXTRACTING KIT CAN BE REMOVED IN 10 SECONDS.
- ② **HIGH-CAPACITY FEEDER (20 KG)**
- ③ **40 PIECES OF FRUIT PER MINUTE**
- ④ **DRAIN&CLEAN** FOR EASIER FEEDER CLEANING





Original System®



Antibacterial technology



Type of demand
VERY HIGH

Speed S⁺plus is available in **two colors**



Two operating modes
Automatic (Self-service): serves juice directly when the tap is pressed. The Tank model dispenses until the juice reaches the maximum fill level.

Professional: the operator can set the exact number of pieces of fruit to be juiced, and in the Tank model, the filling level volume can also be set.

2Services tap with bottle holder available in three sizes: 34.4 mm, 36 mm and 38 mm.

Three models that adapt to you

Speed S⁺plus
All-in-One

M 1Step Kit
65 - 81 mm

S 1Step Kit
45 - 67 mm

L 1Step Kit
75 - 95 mm

Two-position tray for serving juice in glasses or bottles, with direct drain to the waste buckets

Resistant, lightweight podium with a capacity of up to 100 litres, available in two finishes and two widths

For further information, see page 35



2Services tap
Non-continuous juice flow when the tap is pressed and continuous flow when the automatic dispensing mode is selected

Speed S⁺plus

Speed S⁺plus
Tank All-in-One

Intelligent Touch digital display

PulpOut System
triple filtering with automatic conveyor belt to remove the pulp and optimize performance


1.3 gallon tank



1Step Kit



The quietest juicer of all



Quality and food hygiene guaranteed

Technical specs



See accessories on page 41

Pieces of fruit per minute	40 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Fruit diameter	65 - 81 mm	Energy consumption	1.9 A / 2.7 A / 3.5 A
Dimensions Width Depth Height	For individual model sizes, see page 50	Protection against moisture	IPX4
Net weight	For individual model weights, see page 50	Safety	Three safety devices and motor seizure sensor

Your customized solution

①

Choose your juicer: Speed Up o Speed S^{plus}

Check out all the options to adapt Speed to the style you are looking for.

②

Configure the solution that best suits your space

Wide or narrow podium with black or stainless steel finishes.

Give your juice corner an elegant and sophisticated, or robust and simple look.



Choose your podium according to your space and style



Black
Dare to go with the sleekest look



Mirror
Choose the elegance of the shiniest finish



Drip tray



Two-position drip tray, for glasses and bottles

Narrow

27.5 in wide

Capacity 99 lb
300 oranges

1 Trolley
55 L - 25 kg

Direct drain to the waste bucket

Optimize every square metre of your premises. Narrower podium

Width | Depth | Height
710 x 626 x 787 mm

Wide

31.4 in wide

Capacity 154 lb
500 oranges

2 Trolleys
100 L - 40 kg

Direct drain to the waste bucket

Give your juicer an impressive look

Width | Depth | Height
810 x 626 x 787 mm



Speed Pro Basic

The essence of the best juice

The classic juicer that delivers the best freshly squeezed juice in restaurants and cafés.



Two operating modes

Automatic: the juice is served directly into the glass or jug by pressing the START button.

Professional: the operator can set the exact number of pieces of fruit to be juiced.

Simple and easy to use



Original System®




Antibacterial technology



Type of demand
VERY HIGH

- ① FAST, EASY SERVICE
- ② HIGH-CAPACITY FEEDER (20 KG)
- ③ 40 PIECES OF FRUIT PER MINUTE
- ④ INTELLIGENT TOUCH DIGITAL DISPLAY

The spirit of Speed lives on
in its classic versions



M Kit
65 - 81 mm

S Kit
45 - 67 mm

L Kit
75 - 95 mm



Quality and
food hygiene
guaranteed

Technical specs



See accessories
on page 41

Pieces of fruit per minute	40 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Fruit diameter	65 - 81 mm	Energy consumption	1.9 A / 2.7 A / 3.5 A
Dimensions Width Depth Height	593 x 584 x 980 mm 23.3" x 23" x 38.6"	Protection against moisture	IPX4
Net weight	66.3 kg 146.1 lb	Safety	Three safety devices and motor seizure sensor

Speed Pomegranates

Experts in pomegranates

The first **high-performance** juicer designed specifically for juicing all types of pomegranate.

- ① **POWERFUL AND ROBUST**
- ② **JUICES ALL TYPES OF POMEGRANATES**
- ③ **IDEAL FOR SERF-SERVICE CONTEXTS**
- ④ **TRIPLE FILTERING TO OBTAIN READY TO DRINK, PREMIUM QUALITY JUICE**
- ⑤ **JUICES POMEGRANATES UP TO 95 MM**



Maximum efficiency for the best pomegranate juice

Excellent autonomy with over 220 lb of non-stop production

30 pieces of fruit per minute

Pulp Cover ensures maximum hygiene



Pomegranates M Kit
Fruit diameter 75-95 mm

Pomegranates S Kit
Fruit diameter 65-85 mm



Quality and food hygiene guaranteed

Juicing system especially designed for pomegranates

TITANIUM
powered by ZUMEX®

The hardwearing titanium blade ensures excellent cutting and durability

Up tap with bottle holder available in three sizes

Lightweight, hardwearing podium. Available in two sizes, with a capacity of up to 100 litres



Original System®



Antibacterial technology



Type of demand VERY HIGH

Automatic PulpOut system: triple filtering with extra large conveyor belt to remove seeds and optimize performance.

High performance motor 0.50 HP to cope with the most demanding juicing needs.

Speed Pomegranates S Kit 65-85 mm.

Speed Pomegranates is available in:



Black

Technical specs



See accessories on page 41

Pieces of fruit per minute	30 pomegranates per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz
Feeder capacity	20 kg 44 lb	Power	370 W 0.50 HP
Fruit diameter	75 - 95 mm	Energy consumption	2.3 A / 2.9 A
Dimensions Width Depth Height	For model sizes, see page 51	Protection against moisture	IPX4
Net weight	For model weight, see page 51	Safety	Four safety sensors and motor seizure sensor

1Step Kit

For a faster and cleaner removal of the juicing system



Compact and easy to use

Change the juicing system in just 10 seconds without having to take it apart.

Easier to clean

Wash it in one piece in the dishwasher or under the tap.



Accessories

JUICING SYSTEMS



S 1Step Kit

Limes · Lemons · Oranges
45-67 mm

M 1Step Kit*

Lemons · Oranges · Grapefruits
65-81 mm

L 1Step Kit

Lemons · Oranges · Grapefruits
75-95 mm

1Step Kit

For faster and cleaner removal of the juicing system

S, M or L extraction kit. Thanks to this accessory, you can remove the juicing system in just 10 seconds and replace it with the other kit so your juicer is always operational.

*Available as a fast cleaning accessory. It also comes as standard in the following models:

Speed S⁺ / Versatile Pro

Versatile Pro is not compatible with the L 1Step kit



S Kit

For small fruit

Suitable for juicing limes, lemons, mandarins and small oranges (45 mm to 67 mm)

Essential Pro / Speed Pro / Speed Up



M Kit*

For medium-sized fruit

Suitable for processing lemons, oranges and grapefruit (65 mm to 81 mm)

*Comes as standard in the following models:
Essential Pro / Speed Pro / Speed Up



L Kit

For large fruit

Suitable for processing large oranges and grapefruit (75 mm to 95 mm)

Speed Pro / Speed Up



S Pomegranates Kit

Suitable for small pomegranates (65 mm to 85mm).

Speed Pomegranates



Filter kit and Multifruit disc

Maximum shredding power for all fruit and vegetables and efficient centrifuging with the optimized filter.

Multifruit



Dynamic Cutting System DCS^N

Processes tender or cold citrus fruits, even fruits with tougher skins. Ensures perfect cutting and maximum fruit performance.

Essential Pro / Versatile Pro / Speed Up



XS Kit*^N

For squeezing limes

Specifically designed to get the maximum performance on limes from 42 to 52 mm.

Soul Series 2

*Comes as standard on Soul Series 2 Limes model



S Kit^N

For small citrus fruits

Suitable for processing rounded and thin-skinned mandarin, lime and lemon varieties. Examples: Eureka, Lisbon, Meyer. 45 to 65 mm.

Soul Series 2



M Kit*^N

For medium-sized fruits

Suitable for processing mainly 64-81 mm oranges.

Soul Series 2

*Comes as standard on Soul Series 2 model

Accessories

JUICE CORNER

Create your own juice corner with these accessories



Bottle rack



Bottle tray



Glass tray

For self-service contexts

Organize your bottles or glasses in a visible and tidy way. Available in the Speed and Versatile Pro ranges.



Two-position drip tray
Perfect service

Two-position drip tray for serving juice in glasses or bottles, with direct drain to the waste bucket.

Accessory for the Black podium



Bottle rack set Mirror

Organized and at your fingertips
Set comprising bottle holders, storage space and paper dispenser.

Dimensions Width | Depth | Height
500 x 708.5 x 2029.5 mm
19.7" x 27.9" x 79.9"



Bottle holder ^N
Highly versatile

Adapts to any type of bottle, thanks to the three interchangeable sizes.

Versatile Pro




Display cabinet
Chill your juice!

So that your bottles of freshly squeezed juice are always chilled and ready to take away.



SAFETY AND FOOD HYGIENE ACCESSORIES



Basket cover

This accessory only includes the top basket cover.




Basket cover speed ^N

PVC shield that protects the fruit basket



Basket cover Versatile ^N

PVC shield that protects the fruit basket



Versatile Pro basket cover ^N

This accessory only includes the top basket cover.



Pulp Cover Kit Speed

To cover the pulp area



Display Speed lid

Lid to cover the display in self-service contexts



Speed feeder cover

Available in size M and L

Limit access to the operation of your Speed juicer and make your self-service corner a safer and more hygienic place.

PODIUMS

Speed range

Wide Black



Narrow Black



Wide Mirror



Narrow Mirror



See technical specifications on page 43

Versatile Pro



Orange



Silver



Graphite



Black

Choose your podium according to your style, area or the autonomy you require

Accessories

Juice Kart Natural juice wherever you need it

Exclusive wheel design, easy to move, to offer natural juice wherever your business requires it.

Width | Depth | Height
856 x 580.5 x 939 mm
33.7" x 22.8" x 36.9"



JUICE KART



Exclusive design set ^N

Thanks to its wheels your commercial juicer can go wherever your business needs it. It has an extra area for the storage of fruit, glasses, napkins, and other accessories.

Integrated waste container, 77 lb of fruit / 14 L of juice capacity.



Countertop kit
Multifruit

COUNTERTOP KIT

Continuous waste removal

The kit fixes the machine to the counter top, connecting it directly to the waste bucket installed under the counter.



Countertop kit
Soul Series 2



Countertop kit
Gama Speed



Countertop kit
Essential Pro / Versatile Pro

Black
White

Orange
Silver
Graphite
Black



JUICE CORNER

Distinguished area Soul Corner

Equip your commercial juicer with the best accessories to have everything you need at hand.



Glass dispenser
Includes napkin holder for easy juicing.



Premium Basket
Up to 17 lb capacity.

ELEVATION KITS



Elevation kit
Essential Pro / Versatile Pro

CLEANING PRODUCTS



Citric Active ^N
Caring for your juicer
Formulated to remove traces of sugar, wax, pulp and other residues.

Technical Summary



Multifruit



Soul
Series 2



Minex



Essential Pro



Versatile Pro
Pulp Out



Speed Up



Speed Up
All-in-One

Fruit	Fruits and vegetables	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus
Pieces of fruit per minute / output	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	12 pieces of fruit per minute	13 pieces of fruit per minute	27 pieces of fruit per minute	27 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	-	3 - 4 pieces of fruit	6 - 7 pieces of fruit	4 - 5 pieces of fruit	10 kg 22 lb	20 kg 44 lb	20 kg 44 lb
Fruit diameter	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	50 - 80 mm (recommended 64 - 76 mm)	65 - 78 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm
Juicing system	Centrifugal juicer	Conical System®	Original System® and ASP®	Original System® and ASP®	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®
Compatible juicing kits	-	-	-	S Kit, M Kit	S and M 1Step Kit	S, M and L Kit	S, M and L Kit
Dimensions Width Depth Height	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	260 x 430 x 435 mm 10.2" x 16.9" x 17.1"	383 x 368 x 712 mm 15.1" x 14.5" x 28"	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	Versatile Pro 480 x 550 x 855 mm 18.9" x 21.7" x 33.7" Versatile Pro All-in-One 480 x 550 x 1660 mm 18.9" x 21.7" x 65.3"	593 x 624 x 1050 mm 23.3" x 24.6" x 41.3"	1 Narrow Black 710 x 682 x 1775 mm 28" x 26.8" x 69.9" Wide Black 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"
Net weight	15 kg 33 lb	17 kg 37.5 lb	19.5 kg 43 lb	45.5 kg 100 lb	Versatile Pro 54 kg 119 lb Versatile Pro All-in-One 87 kg 192 lb	76.7 kg 169.2 lb	*Narrow Black 129.1 kg 284.7 lb Wide Black 133 kg 293.3 lb
Voltage	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 100-115 V 50-60 Hz	Multivoltage 220-240 V 50-60 Hz 100-115 V 50-60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Power	870 W 1.17 HP	90 W 0.12 HP 115 W 0.15 HP	44 W 0.06 HP	300 W 0.40 HP 320 W 0.43 HP	380 W 0.51 HP 320 W 0.43 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Energy consumption	1.8 A	0.4 A / 1.3 A	0.2 A / 0.45 A	2.7 A	2.7 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX1	IPX0	IPX0	IPX4	IPX4	IPX4	IPX4
Safety	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay	Micro switch on front opening and motor seizure sensor	Three safety sensors and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor
Sound pressure level	Below 70 dB	54 dB	-	-	-	-	-
Colours	5 colours	-	12 colours	4 colours	4 colours	-	Black or Mirror podium

1 Measurements for the Mirror model are the same as the **Speed S *plus All-in-One**.

*Net weight may vary depending on the podium model selected for each juicer.

Technical Summary



Speed S +plus



Speed S +plus
All-in-One



Speed S +plus
Tank All-in-One



Speed Pro
Basic



Speed
Pomegranates


Fruit	Citrus	Citrus	Citrus	Citrus	Pomegranates
Pieces of fruit per minute / output	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	30 pomegranates per minute
Feeder capacity / Storage capacity	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb
Fruit diameter	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	75 - 95 mm
Juicing system	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®
Compatible juicing kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L Kit	S Speed Pomegranates Kit and M Speed Pomegranates Kit
Dimensions Width Depth Height	593 x 665 x 1050 mm 23.3" x 26.2" x 41.3"	2 Narrow Mirror 700 x 709 x 1774 mm 27.5" x 27.9" x 69.8" Wide Mirror 805 x 709 x 1774 mm 31.7" x 27.9" x 69.8" *Narrow Mirror 111.8 kg 246.5 lb Wide Mirror 120.6 kg 266 lb	675 x 699 x 1755 mm 26.6" x 26.3" x 69.1"	593 x 584 x 980 mm 23.3" x 23" x 38.6"	Narrow Black 710 x 682 x 1775 mm 28 x 26.8 x 69.9 Wide Black 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9" Narrow Black 131.1 kg 289 lb Wide Black 135 kg 297.6 lb
Net weight	83.5 kg 184.1 lb	111.8 kg 246.5 lb 120.6 kg 266 lb	110.1 kg 242.8 lb	66.3 kg 146.1 lb	131.1 kg 289 lb 135 kg 297.6 lb
Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz
Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	370 W 0.50 HP
Energy consumption	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	2.3 A / 2.9 A
Protection against moisture	IPX4	IPX4	IPX4	IPX4	IPX4
Safety	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Four safety sensors and motor seizure sensor
Colours	-	Black or Mirror podium	-	-	-
Number of servings	-	-	-	-	-
Serving volume	-	-	-	-	-
Juice temperature	-	-	-	-	-
Refrigeration system	-	-	-	-	-


2 Measurements for the Black model are the same as for the **Speed Up All-in-One**.

*Net weight may vary depending on the podium model selected for each juicer.


Foodservice & Retail


AUTOMATIC CITRUS JUICERS AND COMMERCIAL JUICERS


	Reference	Model	Color	Configuration
	10268	Soul Series 2 N	Black Smoke Grey Black Natural Sand White Smoke Grey White Natural Sand	US US US US
	10867	Soul Series 2 Limes edition N	Black Light Green	US


	Reference	Model	Color	Configuration
	09875	Multifruit	Silver Black White Cherry Graphite	US US US US US


	Reference	Model	Color	Configuration
	04917	Minex	White Ruby red Green Blue Silver metallic Graphite metallic Bronze metallic Black Orange Light green Light blue	US US US US US US US US US US US


	Reference	Model	Color	Configuration
	04873	Essential Pro	Orange Silver Graphite Black	US US US US


	Reference	Model	Color	Configuration
	10220	Smart Essential Pro N	Orange Silver Graphite Black	US US US US


	Reference	Model	Color	Configuration
	10216	New Versatile Pro N	Orange Silver Graphite Black	US US US US
	10781	New Versatile Pro All-in-One N	Orange Silver Graphite Black	US US US US
	10269	New Versatile Pro All-in-One(BH)* N *Bottle Holder	Orange Silver Graphite Black	US US US US


	Reference	Model	Configuration
	04837	Speed Pro Basic	US

	Reference	Model	Color	Configuration
	08576	Speed Up		US
	08818	Speed Up All-in-One Wide	Black	US
	08820	Speed Up All-in-One Wide	Mirror	US
	08821	Speed Up All-in-One Narrow	Black	US
	08822	Speed Up All-in-One Narrow	Mirror	US


	Reference	Model	Color	Configuration
	10865	Smart Speed Up N		US
	10830	Smart Speed Up All-in-One Wide N	Black	US
	10831	Smart Speed Up All-in-One Wide N	Mirror	US
	10832	Smart Speed Up All-in-One Narrow N	Black	US
	10833	Smart Speed Up All-in-One Narrow N	Mirror	US


	Reference	Model	Color	Configuration
	08825	Speed S +plus		US
	08826	Speed S +plus All-in-One Wide	Mirror	US
	08827	Speed S +plus All-in-One Wide	Black	US
	08828	Speed S +plus All-in-One Narrow	Mirror	US
	08829	Speed S +plus All-in-One Narrow	Black	US
	08842	Speed S +plus Tank All-in-One		US


 Smart Speed S+plus	Reference	Model	Color	Configuration
	10864	Smart Speed S+plus ^N		US
	10208	Smart Speed S+plus All-in-One Wide ^N	Mirror	US
	10207	Smart Speed S+plus All-in-One Wide ^N	Black	US
	10788	Smart Speed S+plus All-in-One Narrow ^N	Mirror	US
	10789	Smart Speed S+plus All-in-One Narrow ^N	Black	US


 Speed Pomegranates	Reference	Model	Color	Configuration
	10007	Speed Pomegranates All-in-One Wide	Black	US
	10013	Speed Pomegranates All-in-One Narrow	Black	US


Foodservice & Retail ACCESSORIES


 Juicing systems	Reference	Model
	10853	Soul Series 2 M Kit ^N
	10852	Soul Series 2 S Kit ^N
	10851	Soul Series 2 XS Kit ^N
	10014	Essential Pro S Kit
	08220	Versatile Pro 1Step Kit
	10006	Versatile Pro S 1Step Kit
	10840	Speed Pro / Speed Up M Kit ^N
	05471	Speed Pro / Speed Up S Kit
	05742	Speed Pro / Speed Up L Kit
	07930	Speed S+plus 1Step Kit
	07942	Speed S+plus S 1Step Kit
	07943	Speed S+plus L 1Step Kit
	10273	Speed Pomegranates S Kit ^N
	00536:01	Dynamic Cutting System ^N


 Countertop kit	Reference	Model	Color
	10849	Soul S2 Countertop kit ^N	Black White
	10846	Soul S2 Glass dispenser ^N	
	06953	Soul S2 Premium Basket ^N	
	04825	Essential Pro / Versatile Pro Countertop Kit	Orange Graphite
	05414	Speed Pro Countertop Kit	Silver Black
	05909	Speed Up / Speed S+plus Countertop Kit	
	06952	Multifruit Countertop Kit	
	05230	Essential Pro / Versatile Pro Elevation Kit	

 Protection and hygiene	Reference	Model
	10160	Kit Safety and food hygiene Speed ^N
	10161	Kit Safety and food hygiene Versatile ^N
	08830	M Elbow Feeder Cover Speed
	08831	L Elbow Feeder Cover Speed
	08613	Pulp Cover Kit Speed Up / Speed S+plus ^N
	09960	Display cover Speed ^N

 Juice point of sale	Reference	Model
	04733	Versatile Bottle Rack (includes 3 trays)
	04732	Speed Up / Speed S+plus Bottle Rack (includes 3 trays)
	04727	Bottle Tray
	04728	Glass Tray
	08865	Two-position tray (Black podium)
	04897	Small Display Cabinet
	04901	Large Display Cabinet
	10222	Display Convenience
	09967	Bottle Holder Versatile
	10232	Bottle holder New Versatile

 Podium	Reference	Model	Color
	10850	Juice Kart ^N	Black
	04904	Podium Versatile Pro	Orange
			Silver
			Graphite
			Black
	08814	Podium Wide Speed Up / Speed S+plus	Mirror
	08580	Podium Wide Speed Up / Speed S+plus	Black
	08815	Podium Narrow Speed Up / Speed S+plus	Mirror
	08816	Podium Narrow Speed Up / Speed S+plus	Black

 Minex Colours	Reference	Model	Color
	04919	Color Kit Minex	White Bronze
			Ruby Red Black
			Green Orange
			Blue Light Green
			Silver Light Blue
			Graphite Grey

 Cleaning	Reference	Model
	10009	Filter Kit and Multifruit Disc
	09853	Citric Active/Bottle*
		* Minimum purchase: Pack 6 bottles.



Zumex Group | Headquarters

Polígono Ind. Moncada III
C/ Molí, 2 46113 Moncada, Valencia, Spain
Tel. +34 961 301 251
zumex@zumex.com

Zumex North America

1573 NW 82nd Ave, Miami, FL 33126 USA
Tel. +1 305 591 0061
Technical Assistance:
1-877-ZUMEX-TA (+1 877 986 3982)
zumexusa@zumex.com

Zumex UK

10 Philpot Lane First Floor
EC3M 8AA London, United Kingdom
Tel. +44 20 3519 1292
zumexuk@zumex.com

Zumex México

Uxmal 616, Colonia Vértiz Narvarte
Alcaldía Benito Juárez
CP 03600 Ciudad de México, México
Tel. +52 (55) 5212-0619
zumexmexico@zumex.com

Zumex France

45 rue de Villeneuve
94573 Rungis Cedex, Paris, France
Tel. +33 9 75 18 73 54
zumexfrance@zumex.com

Zumex Deutschland

Elisabethstraße 11
40217 Düsseldorf - Deutschland
Tel. +49 211 418 73351
zumexdeutschland@zumex.com

I nostri prodotti rispettano gli standard qualitativi dei diversi mercati.